

























61. A. M. Muhammad, et al., "Evaluation of local groundwater vulnerability based on DRASTIC index method in Lahore, Pakistan", *Geofísica internacional*, Vol. 54, No.1, 2015, pp. 67-81.
62. S. Kumar, D. Thirumalaivasan, and N. Radhakrishnan, "GIS based assessment of groundwater vulnerability using drastic model", *Arabian Journal for Science and Engineering*, Vol. 39, 2014, pp. 207-216.
63. M. Erdoğan, and R. Karagüzel, "A new hydrogeologically based approach to determining protected areas in drinking water supply reservoirs: a case study in the Ağlasun sub-basin (Burdur, Turkey)", *Environmental Earth Sciences*, Vol. 75, 2016, pp.1-14.
64. Machdar, T. Zulfikar, W. Rinaldi, and Y. Alfiansyah, "Assessment of groundwater vulnerability using DRASTIC Model and GIS: A case study of two sub-districts in Banda Aceh city, Indonesia", In *IOP Conference Series: Materials Science and Engineering*, Vol. 334, No.1, 2018, pp. 012032.
65. O. Mensah, E. K. Appiah-Adjei, and D. Asante, "Groundwater pollution vulnerability assessment in the Assin municipalities of Ghana using GIS-based DRASTIC and SINTACS methods", *Modeling Earth Systems and Environment*, Vol. 9, No.2, 2023, pp. 2955-2967.
66. M. C. Kirlas, D. K. Karpouzios, P. E. Georgiou, K. L. Katsifarakis, "A comparative study of groundwater vulnerability methods in a porous aquifer in Greece", *Applied Water Science*, Vol. 12, No.6, 2022, pp.123.
67. S. U. Shahid, and W. Khalid, "Geospatial Analysis for the assessment of urban sprawl impact on water table in Lahore, Punjab, Pakistan", *International Journal of Water Resources and Arid Environments*, Vol. 8, No. 1, 2019, pp. 23-33.
68. Shakoor, Z. M. Khan, H. U. Farid, M. Sultan, I. Ahmad, N. Ahmad, M. H. Mahmood, and M. U. Ali, "Delineation of regional groundwater vulnerability using DRASTIC model for agricultural application in Pakistan", *Arabian Journal of Geosciences*, Vol. 13, 2020, pp. 1-12.
69. L. Zouhri, and R. Armand, "Groundwater vulnerability assessment of the chalk aquifer in the northern part of France", *Geocarto International*, Vol. 36, No.11, 2021, pp.1193-1216.
70. Y. Nazzal, F. M. Howari, J. Iqbal, I. Ahmed, N. B. Orm and A. Yousef, "Investigating aquifer vulnerability and pollution risk employing modified DRASTIC model and GIS techniques in Liwa area, United Arab Emirates", *Groundw Sustain Dev*, Vol. 8, 2019, pp. 567-578.
71. M. R. Goodarzi, A. R. R. Niknam, V. Jamali, and H. R. Pourghasemi, "Aquifer vulnerability identification using DRASTIC-LU model modification by fuzzy analytic hierarchy process", *Modeling Earth Systems and Environment*, Vol. 8, No.4, 2021, pp. 5365-5380.
72. S. A. Oke, "Regional aquifer vulnerability and pollution sensitivity analysis of drastic application to Dahomey Basin of Nigeria", *International Journal of Environmental Research and Public Health*, Vol. 17, No.7, 2020, pp. 2609.
73. Mondal, J. Bandyopadhyay, and P. Chowdhury, "A GIS based DRASTIC model for assessing groundwater vulnerability in Jangalmahal area, West Bengal, India", *Sustainable Water Resources Management*, Vol. 5, 2019, pp. 557-573.
74. S. U. Shahid, J. Iqbal, N. A. Abbasi, and A. Tahir, "GIS based hotspot analysis and health risk assessment of groundwater arsenic from an unconfined deep aquifer of Lahore, Pakistan", *Environmental Geochemistry and Health*, 2023, pp. 1-16.

